FPGA General I O Optical Module

Overview

In demonstrating 5x current industry bandwidth at 5x lower power and 20x lower latency, the optical FPGA – packaged in a common PCIe card form factor – has the potential to transform the high performance computing (HPC) landscape for data-intensive workloads such as generative. In demonstrating 5x current industry bandwidth at 5x lower power and 20x lower latency, the optical FPGA – packaged in a common PCIe card form factor – has the potential to transform the high performance computing (HPC) landscape for data-intensive workloads such as generative. AgilexTM 7 SoC FPGAs Enable 400G-DR4-LPO Optical Modules to Significantly Reduce Power, Cost, and Late floading for AI clusters and HPC in hyperscale cloud/data centers, storage, and networking infrastructure. Customers benefit from LPO technologies' lower power, lower cost, lower latency, and. Samtec offers a wide portfolio of FMC™, FMC+™ and optical module evaluation kits for real-time development and testing in a lab setting. The VCU110 ExaMAX® Loopback Card routes 8 GTY MGTs from the Xilinx® Virtex® UltraScale™ FPGA through the ExaMAX® mated connector pair and back to the FPGA. The IO344 is a Simulink ® -programmable FPGA I/O module with a high performance System on Chip (SOC) and very fast analog input and output channels, offering a wide range of capabilities for radio frequency and signal processing applications such as software-defined radio (SDR), MIMO Radar and. Intel and Ayar are now demonstrating an optical FPGA consisting of two TeraPHY optical I/O chiplets, each capable of 4 Tbps bi-directional bandwidth. These chiplets are connected to a 10 nm FPGA fabric die — the same core fabric used in Intel Agilex FPGAs. The optical communication is powered by. SANTA CLARA, Calif. 8, 2023 – Ayar Labs, a leader in silicon photonics for chip-to-chip connectivity, will showcase its in-package optical I/O solution integrated with Intel's industry-leading Agilex® Field-Programmable Gate Array (FPGA) technology. In demonstrating 5x current industry. hotonics technology and opticalelectrical assem...

© 2026 AITAF Advanced Infrastructure & Telecom Networks - All rights reserved

Article Content

OP4610-IO FPGA Processor and I/O Expansion Unit

The OP4610-IO is an I/O expansion unit within the OP4xxx family that uses the Xilinx KintexTM-7 FPGA to provide additional inputs and outputs for existing OPAL-RT simulators and expansion units.

New Sosa Aligned Fpga Module Combines High Density Fiber Optic

The VPX3-536, the newest addition to Curtiss-Wright''s comprehensive and industry leading Fabric100™ ecosystem of 100 Gigabit Ethernet (GbE)/PCIe Gen 4 system modules, uniquely

The FPGA Turns to Optical Interconnects

The optical communication is powered by two of Ayar''s SuperNova light source modules, supporting 64 optical channels of high-speed, error-free communication across 8 fibers on each

Agilex™ 7 SoC FPGAs Enable 400G-DR4-LPO Optical Modules to ...

floading for AI clusters and HPC in hyperscale cloud/data centers, storage, and networking infrastructure. Customers benefit from LPO technologies'' lower power, lower cost, lower latency, and

Optoelectronic FPGAs | IEEE Journals & Magazine | IEEE Xplore

We identify field-programmable gate arrays (FPGA) as a class of general-purpose very large scale integration components that would demonstrably benefit from the massive introduction of state-of-the

The Application of FPGA in Optical Fiber Sensing and ...

To obtain pulsed light signal used as pulsed pump light for optical fiber sensing and communication systems, a design scheme of generating pulsed light based on continuous laser and

V6061 3U VPX Versal Adaptive SoC FPGA

V6061 3U VPX Versal® Adaptive SoC FPGA + Ethernet Offload Optical I/O Module The V6061 is a next generation high-performance embedded computing 3U VPX module featuring the AMD ® Versal ®

New Game Changing SOSA Aligned FPGA Module Combines High

“No other SOSA aligned 3U VPX card on the market offers the breakthrough combination of FPGA, CPU, DSP processing, AI acceleration and fiber optic backplane throughput delivered by

White Paper: Management of Smart Optical Modules

© 2026 AITAF Advanced Infrastructure & Telecom Networks - All rights reserved

ABSTRACT: Current paradigms for managing pluggable optical modules require tight coupling between the host and module. This White Paper describes a new paradigm that decouples

IO344: Simulink-Programmable FPGA I/O Module

The IO344 I/O module features an additional GPS interface to connect to an external GPS antenna for sample clock synchronization. You can expand the capabilities

PolarFire SmartSFP Plus Solution Featuring In-Application Programming

Microchip''s SmartSFP+ is a system-level optical transceiver solution built with the smallest form factor and the lowest power PolarFire FPGA. The SmartSFP+ module combines the flexibility and

New “Game Changing” SOSA Aligned FPGA Module Combines High

The VPX3-536, the newest addition to Curtiss-Wright''s comprehensive and industry leading Fabric100™ ecosystem of 100 Gigabit Ethernet (GbE)/PCIe Gen 4 system modules, uniquely

Verification of 400 GbE on an FPGA Platform with Optical Modules

This paper proposes a 400 Gb/s Ethernet (400 GbE) verification platform based on FPGA (Field-Programmable Gate Array), including TRX (transceiver) PMA (Physical Medium Attachment), 400

The FPGA Turns to Optical Interconnects

Intel and Ayar are now demonstrating an optical FPGA consisting of two TeraPHY optical I/O chiplets, each capable of 4 Tbps bi-directional bandwidth. These chiplets are connected to a 10

The Firmware Design and Implementation Scheme for C

In this paper, an efficient firmware design scheme is proposed for a 100 Gbps C form-factor pluggable (CFP) optical transceiver based on the multi

Optical area I/O enhanced FPGA with 256 optical channels per chip

We present different configurations for a compact free-space optical interconnection module by combining two radial gradient-refractive-index lenses and/or two arrays of refractive

(PDF) Fingertip-Size Optical Module, “Optical I/O Core”,

Optical I/O core based on silicon photonics technology and optical/electrical assembly was developed as a fingertip-size optical module with

AV02-3383EN WP Altera-FPGA 21Mar2012 dd

© 2026 AITAF Advanced Infrastructure & Telecom Networks - All rights reserved

The logic portion of the high-speed serial port is typically implemented inside a FPGA because the devices provide designers with fl exibility with respect to the board features, functions, and I/O

World''s first optical FPGA technology demo from Altera

The demonstration shows Altera''s Optical FPGA technology on a test board derived from the company''s Stratix IV FPGA 100G development kit,

Multi-channel free-space intra-chip optical

With a careful alignment of the micro-optical free-space module above the OE-VLSI chip, we demonstrated for the first time to our knowledge a multi

Fingertip-size optical module, "Optical I/O core", and its application ...

Optical I/O core based on silicon photonics technology and optical/electrical assembly was developed as a fingertip-size optical module with high bandwidth density, low power consumption,

FPGA Architecture

FPGA Architecture has arrays of Configurable Logic gates, I/O blocks and interconnect wires. FPGA can be programmed on-board through dedicated

Paper Title (use style: paper title)

Implementation aspects of the FPGA-based optical link test system are discussed in the next parts of the paper along with the obtained link performance measurement results. Comparison of the measured

Design and FPGA Implementation of Optical Fiber Video Image

Abstract— In modern communication systems, optical fiber transmission is widely used because of its low power consumption and wide frequency band. At the same time, by using the SFP (Small Form

IOM-400 Mezzanine High-speed FPGA-based Programmable I/O

Fiber Optics s the physical medium for sensor I/O to be delivered to the FPGA. By default, the IOM-400 is configured with 24 high-speed optical receivers that are capable of operating up to 10.3125

Fingertip-Size Optical Module, “Optical I/O Core”, and ...

hotonics technology and opticalelectrical assembly was developed as a fingertip-size optical module with / high bandwidth density, low power consumption, and high temperature operation. The advantages

Ayar Labs Supercharges FPGA with Optical I/O

© 2026 AITAF Advanced Infrastructure & Telecom Networks - All rights reserved

Explore Ayar Labs'' integration of optical I/O with FPGA, offering unprecedented HPC and AI performance, unveiled at Supercomputing 2023.

Versal Adaptive SoC FPGA | V6063 3U VPX | Optical

The V6063 provides twelve (12) full duplex optical ports supporting from 1-25G per lane, FPGA fabric resources, ARM processor cores, and AI/ML hard cores. The

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: https://aitaf.it
Email: info@aitaf.it
Phone: +39 331 847 2365
Address: Via Raffaello Sanzio 11, 20149 Milan, Italy

This document is for informational purposes only. Specifications subject to change without notice.

© 2026 AITAF Advanced Infrastructure & Telecom Networks - All rights reserved